

CHEMISTRY HIGHER LEVEL PAPER 3

Friday 11 May 2007 (morning)

1 hour 15 minutes

(Candi	idate	sessi	ion n	umbe	r	

INSTRUCTIONS TO CANDIDATES

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- Answer all of the questions from two of the Options in the spaces provided. You may continue your answers on answer sheets. Write your session number on each answer sheet, and attach them to this examination paper and your cover sheet using the tag provided.
- At the end of the examination, indicate the letters of the Options answered in the candidate box on your cover sheet and indicate the number of answer sheets used in the appropriate box on your cover sheet.

Option B – Medicines and drugs

B1.	Etha	nol in the human body can be detected in several ways.	
	(a)	Explain how the breathalyser works and describe its colour change in a positive result.	[2]
	(b)	Explain how alcohol is detected using an intoximeter.	[2]



B2.	. The structures of some stimulants can be found in Table 21 of the Data Booklet.			
	(a)	Compare the structures of caffiene and nicotine in terms of functional groups.	[2]	
	(b)	Discuss two short-term effects of smoking tobacco.	[2]	

В3.	(a)	Describe the differences in the ways that bacteria and viruses multiply.	[2]
	(b)	Outline two ways in which antiviral drugs work.	[2]
	(c)	Explain why effective treatment of AIDS with antiviral drugs is difficult.	[2]



B4.	I. The structures of adrenaline and cisplatin are shown in Table 21 of the Data Booklet. Both compounds exist as stereoisomers.						
	(a)		cribe the structural feature of the adrenaline molecule responsible for this type of nerism.	[1]			
	(b)	relat	w diagrams to show the structures of these two stereoisomers, showing clearly the ionship between them. Use the symbol X to represent the benzene ring with its thed OH groups.	[2]			
	(c)	(i)	Identify the two types of bonding in the cisplatin molecule and predict the name of its shape and the Cl–Pt–Cl bond angle.	[3]			
		(ii)	Draw the structure of the stereoisomer of cisplatin.	[1]			



B5.	(a)	Distinguish between the modes of action of local and general anesthetics.	[2]
	(b)	An anesthetic mixture contains 0.150 mol of cyclopropane and 1.10 mol of oxygen at a total pressure of 105 kPa.	
		Calculate the partial pressure (in kPa) of cyclopropane in this mixture.	[2]



Option C – Human biochemistry

C1.	(a)	Bool and o	structures of the amino acids glycine and serine are shown in Table 20 of the Data klet. Draw the structure of one of the dipeptides formed when one molecule of glycine one molecule of serine react together. Show all the bonds in the link between the two ecules.	[2]
	(b)	The	structure of a protein can be analysed using paper chromatography.	
		(i)	Describe the process that the protein must undergo before chromatography is used and explain why it is necessary.	[2]
		(ii)	Explain how paper chromatography is used to identify the individual amino acids.	[4]



C2.	Fats	and oils are formed when fatty acids react with glycerol.	
	(a)	Outline two structural differences between saturated and unsaturated fats.	[2]
	(b)	Explain why saturated fats have higher melting points than unsaturated fats with similar relative molecular masses.	[2]
			2 3
C3.	The	structures of some hormones are shown in Table 22 of the Data Booklet.	
	(a)	Identify one hormone with a steroid backbone, state where it is produced and outline its specific role in the body.	[2]
	(b)	Identify one hormone with a non–steroid backbone, state where it is produced and outline its specific role in the body.	[2]



C4.	(a)	Explain, with reference to the active site, how enzymes are able to catalyse biological reactions.	[3]
	(l ₂)	State and explain the effect on the rate of an engrape entalyzed reaction of gradually	
	(b)	State and explain the effect on the rate of an enzyme-catalysed reaction of gradually increasing the temperature from 10 °C to 60 °C.	[4]
	(b)		[4]
	(b)		[4]
	(b)		[4]
	(6)		[4]
	(6)		[4]
	(6)		[4]

[2]

C5. The structures of four organic bases present in DNA are shown below.

Use dotted lines to represent the hydrogen bonds that form between thymine and adenine, and between cytosine and guanine.

adenine



Option D – Environmental chemistry

- **D1.** The natural greenhouse effect can be summarised in these steps.
 - I. About half of the radiation entering the Earth's atmosphere is absorbed by the Earth's surface.
 - II. This absorbed radiation is re-radiated from the Earth's surface.
 - III. Greenhouse gases in the atmosphere absorb the radiation from the Earth's surface and re-radiate it back to the Earth's surface.


(a)	(i)	Identify the part of the spectrum from which most of the absorbed radiation in step I comes.	[1]
	(ii)	Identify the part of the spectrum from which most of the radiation in step II comes.	[1]
	(iii)	Explain on a molecular level, how greenhouse gases absorb the radiation in step III.	[1]
	(iv)	The term <i>enhanced greenhouse effect</i> is sometimes used to describe the increasing effect of human activity on the natural effect. Explain why, with reference to one of the steps above, the greenhouse effect may be increasing.	[2]
(b)	"Me	rbon dioxide is the most significant greenhouse gas." thane is a more important greenhouse gas than carbon dioxide." ain how both these statements can be considered correct.	[2]



D2.	(a)	The pH values of five liquids are 1.2, 4.2, 5.2, 6.2 and 7.2. Identify which two of these values are most likely to be those of acid rain.	[1]
	(b)	Identify an oxide that causes acid rain and write an equation for its reaction with water.	[2]
	(c)	State two ways in which emissions of the oxide identified in (b) can be decreased.	[2]



D3. The diagram below represents the variation in dissolved oxygen along a river.



Distance downstream

(a)	Explain the meaning of the term biological oxygen demand (BOD).									

(b)	(i)	Identify, giving a reason, at which of the points A or B the BOD is greater.	[1]

(ii)	Suggest a reason for the change in the amount of dissolved oxygen between A and B.			

D4.	This	question concerns some of the reactions that lead to air pollution.	
	(a)	Name the molecule formed in the following reaction, classify it as a primary or secondary pollutant, and describe a process that would cause this reaction to occur.	[2]
		$N_2 + O_2 \rightarrow 2NO$	
	(b)	Name the molecule formed in the following reaction and classify it as a primary or secondary pollutant. For the other product explain what the symbol • represents and state the name of this type of species.	[3]
		$CH_3CH_2O^{\bullet} + O_2 \rightarrow CH_3CHO + HO_2^{\bullet}$	
D5.		hlorofluoromethane, CCl ₃ F, is one CFC responsible for ozone depletion in the atmosphere. involved in a three-step mechanism, described as follows.	
	I. II. III.	The compound breaks down in ultraviolet light to form radicals Ozone is converted into ClO• Oxygen atoms are involved in the formation of Cl•	
		te equations to show each step in this mechanism and explain why one CFC molecule is to destroy many ozone molecules.	[4]



$Option\ E-Chemical\ industries$

Р	w.P	ose and write an equation to show what happens to it in the blast furnace.
. (a)	Approximately 90 % of the refined products from crude oil are used for one main purpose. Identify this purpose and explain why the other 10 % are of great importance.
(1	b)	Deduce the equation for the cracking of C_8H_{18} in which an alkene and an alkane are formed in the ratio $2:1.$
(0	c)	Explain why sulfur and its compounds are removed from crude oil, and identify one industry that makes use of this sulfur.



E3. The diagram below represents a section of a polymer.

(a) (i) Polymers A and B both have the structure shown above, but the average chain length is much greater in A than in B. Suggest two physical properties that would be different for A and B. [2]
(ii) Polymers A and B both have isotactic structures. Polymer C is manufactured from the same monomer but is not isotactic. State the name used to describe this different structure and outline how the structure differs. [2]
(b) Polymers have replaced more traditional materials such as metal and wood. Suggest one polymer property, different in each case, that makes polymers more suitable than metal.
(a) Polymers have replaced more traditional materials such as metal and wood. Suggest one polymer property, different in each case, that makes polymers more suitable than metal.

	(a)	Deduce the temperature above which zinc oxide can be decomposed into its elements heat alone. Give a reason for your answer.				
	(b)		uce the minimum temperature needed for zinc oxide to be converted into zinc in the ence of carbon.			
E5.	(a)		cribe the chlor-alkali process, include the reactants, conditions and the products ned. Write an equation for the reaction at the positive electrode (anode).			
		In the oblar alkali industry the margury call has been replaced by calls that are loss in their -				
	(b)	In th	e chlor–alkali industry the mercury cell has been replaced by cells that are less polluting.			
		(i)	State one harmful effect of releasing mercury into the environment.			
		(ii)	Describe one of the ways in which these less polluting cells are able to keep the reaction products separate from each other. Write an equation for the reaction that			
			occurs at the negative electrode (cathode) in these cells.			

Option F – Fuels and energy

F1. (a) Methane undergoes complete combustion as shown below.

	$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(g)$ $\Delta H = -802 \text{ kJ mol}^{-1}$	
(i)	Determine the calorific value of methane in kJ g ⁻¹ .	[1]
(ii)	The amount of heat produced when a 20.0 g sample of one type of coal was completely burned was 610kJ . Determine the calorific value in kJ g^{-1} .	[1]
(iii)	The data above show that the calorific value of methane is higher than that of coal. State two other reasons why methane is often described as a better fuel than coal.	[2]
(iv)	Explain why coal will continue to be used as a fuel in the future.	[1]
	an equation for the gasification of coal, in which a mixture of two flammable gases med.	[1]



(b)

F2. Nuclear reactions can be classified as disintegration, fission or fusion reactions.

A typical disintegration reaction involves the loss of an alpha or beta particle from a radioactive isotope.

A typical fission reaction involves the bombardment of an unstable nucleus by neutrons, forming two smaller nuclei and releasing more neutrons.

A typical fusion reaction involves two small nuclei combining to form a larger nucleus.

(a)	Deduce a balanced nuclear equation, showing the atomic number and mass number of
	each species, for the following examples.

	(i)	The disintegration of radium-226 to form radon-222.	[1]
	(ii)	The fission of uranium-235 to form lanthanum-145 and bromine-88.	[1]
	(iii)	The fusion of a nucleus of ordinary hydrogen with ² H to form a helium nucleus.	[1]
(b)	Com	pare the behaviour of alpha and beta particles in an electric field.	[2]

F3.	reference to	
	 the distinction between active and passive solar heating the direct and indirect conversion of solar energy to electricity. 	[4]



F4.	(a)	Describe what is meant by the term <i>mass defect</i> , using helium as an example.	[2]
	(b)	Use information from Tables 1 and 2 in the Data Booklet, and the following relative masses, to answer this part.	
		relative mass of proton = 1.007270 relative mass of neutron = 1.008665 relative mass of electron = 0.000549	
		Calculate the change in mass (in kg mol ⁻¹) that occurs in the following reaction, and hence the energy released:	[3]
		209 Pb $\rightarrow ^{209}$ Bi $+_{-1}^{0}$ e	

F5.	Discuss the use of silicon in	pnotovoltaic cells,	with reference to the	ie following:

• why pure silicon is a better electrical conductor than non-metals such as phosphorus and sulfur

	how sunlight can produce an electric current in a photovoltaic cell.												[5]																															
									-								 				 				 							 		 					 	 				
	•			•		•																																				 •		
٠	•		•	•		•		•	•		٠		 ٠		٠	•	 	•	•	•	 	•	٠	•	 	•	•	 •	•	 ٠	•	 •	٠	 •	•	 •	•	 •	 	 	٠	 ٠		



$Option \ G-Modern \ analytical \ chemistry$

G1.	(a)	Desc light	cribe what happens to the fundamental particles in an atom when it absorbs visible	[1]
	(b)	(i)	Explain, with reference to the d orbitals in a transition metal, why complex ions are coloured.	[3]
		(ii)	Outline why different ligands produce different colours with the same transition metal.	[2]
	(c)	The	structures of four hydrocarbons are shown below.	
		H H——C H	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
		(i)	I II III IV Identify the compounds that most strongly absorb ultraviolet radiation.	[1]
		(1)	racinity the compounds that most strongly absorb artiaviolet radiation.	[1]
		(ii)	Identify the compound that absorbs ultraviolet radiation of the longest wavelength, and explain your choice.	[2]





G2.	(a)		cribe what occurs at a molecular level when molecules such as carbon dioxide absorbared radiation.	[2]									
	(b)	Spectra A and B on page 25, represent the infrared spectra of two of these compounds:											
			CH ₃ CH ₂ COOH CH ₃ COOCH ₃ HCOOCH ₂ CH ₃										
		(i)	Use Table 18 in the Data Booklet to identify the groups responsible for the absorption near	[1]									
			1050 cm ⁻¹										
			1700 cm ⁻¹										
		(ii)	Deduce which one of the three compounds produced spectrum A , giving a reason for your choice.	[2]									
		(iii)	iii) Explain why the other two compounds have similar infrared spectra.										

(This question continues on the following page)



(Question G2 continued)






(This question continues on the following page)



[2]

(Question G2 continued)

(c) Figures C and D represent the splitting patterns and the chemical shifts shown in the ¹H NMR spectra of the same two compounds used to obtain spectra A and B.



(i)	State what general information can be deduced from the three different types of splitting patterns in these spectra.	[3]

(ii)	Explain how the chemical shift values close to δ 4.1 in figure \mathbf{C} and close to δ 11.5 in figure \mathbf{D} can be used to identify the two compounds. Refer to information from Table 19 in the Data Booklet in answering this part.



- **G3.** Paper chromatography and column chromatography can be used as examples to explain the difference between adsorption and partition. For each of these chromatographic techniques, identify
 - the stationary and mobile phases
 - how the mobile phase moves.

dentify, with a reason, which of the two techniques is more suitable for collecting samples of mixture for further analysis.											

Option H – Further organic chemistry

Н1.		apounds with the molecular formula $C_3H_4Cl_2$ exist as several structural isomers, some of the are cyclic. Some of these structural isomers exist as geometric isomers.	
	(a)	Explain why geometrical isomerism is possible in the non-cyclic isomers.	[1]
	(b)	Draw the structure of a non-cyclic structural isomer that does not exist as geometric isomers, and explain why geometrical isomerism is not possible in this compound.	[2]
	(c)	1,3-Dichloropropene exists as geometric isomers. Draw and label the structures of its cis and trans isomers.	[2]
	(d)	Draw structures to show the two geometric isomers of 1,2-dichlorocyclopropane.	[2]



H2. (a) The equation for a reaction of ethane is

$$\mathrm{CH_3CH_3} + \mathrm{Cl_2} \rightarrow \mathrm{CH_3CH_2Cl} + \mathrm{HCl}$$

Describe this reaction, including equations for each step and the role of ultraviolet light.	[5]
Identify the organic product of the reaction between methylbenzene and chlorine in the presence of ultraviolet light.	[1]

(b)

Н3.	Metl	hylbenzene and chlorine react together in a 1:1 ratio in the presence of iron(III) chloride.	
	(a)	State the type of mechanism of this reaction and write an equation to show how iron(III) chloride generates the attacking species.	[2]
	(b)	Use equations to explain the mechanism of this reaction, representing the movement of electron pairs by curly arrows.	[4]



H4.	Table	e 16 in the Data Booklet contains pK_a values for organic compounds.	
	(a)	Write an equation for the dissociation of 2-nitrophenol in aqueous solution. Explain, with reference to its structure and this equation, why 2-nitrophenol is a stronger acid than phenol.	[3]
	(b)	Write an equation to show how methylamine acts as a base in aqueous solution. Explain, with reference to its structure and this equation, why dimethylamine is a stronger base than methylamine.	[3]